



Fengming Hydraulic Product Catalog

Professional manufacturer of hydraulic fittings and hose assemblies

20+ YEARS OF EXCELLENCE IN FLUID CONNECTION

Fengming Hydraulics

Our factory has been established for over 20 years, specializing in the production of hydraulic hose fittings. As a source manufacturer, we offer high-quality, competitively priced products with fast delivery, and can provide OEM and ODM services.



联系我们: WhatsApp: +86 13111778230 Email: sales@hosefittings.cn

00110 Series, No Skive, for 1SN / R1 Hoses

型号 Part No	软管HOSE BORE		尺寸 DIMENSIONS		
	DN	DASH	OD外径	ID内径	L长度
00110-04	6	4	19	14.3	30
00110-05	8	5	21	15.5	30
00110-06	10	6	23	18	31
00110-08	12	8	27	21.5	38
00110-10	16	10	30	24.5	37
00110-12	20	12	34	28	43
00110-16	25	16	43	36	50
00110-20	32	20	52	45	59
00110-24	40	24	58	51	66
00110-32	51	32	72	65	75



00110A Series, No Skive, for 1SN / R1 Hoses

型号 Part No	软管HOSE BORE		尺寸 DIMENSIONS		
	DN	DASH	OD外径	ID内径	L长度
00110-04A	6	4	21	14	27.5
00110-05A	8	5	21.5	15.6	28
00110-06A	10	6	24.3	18	30
00110-08A	13	8	28	21.5	34
00110-10A	16	10	31.3	24.5	37
00110-12A	20	12	35.5	28.7	42
00110-16A	25	16	43.5	36.3	51
00110-20A	32	20	54.5	45	59
00110-24A	40	24	63	51.6	67
00110-32A	51	32	76.5	65	72



00210 Series, for 2SN / R2 Hoses

型号 Part No	软管HOSE BORE		尺寸 DIMENSIONS		
	DN	DASH	OD外径	ID内径	L长度
00210-04	6	4	21	15.5	30
00210-05	8	5	23	17.5	31
00210-06	10	6	25	19.5	32
00210-08	13	8	29	23	34
00210-10	16	10	32	26	38
00210-12	20	12	36	30	43
00210-16	25	16	45	38.5	50
00210-20	32	20	59	49	59
00210-24	40	24	62	54	68
00210-32	51	32	75	67	75



00200 Series, for 2SN / R2 Hoses

型号 Part No	软管HOSE BORE		尺寸 DIMENSIONS		
	DN	DASH	OD外径	ID内径	L长度
00200-04	6	4	21	14.5	30
00200-05	8	5	23	16.5	31
00200-06	10	6	25	18.5	32
00200-08	12	8	30	22	34
00200-10	16	10	33.4	25.4	37
00200-12	20	12	38	29.2	43
00200-16	25	16	46	36.2	50
00200-20	32	20	56	45.4	59
00200-24	40	24	62	51.8	74
00200-32	51	32	75	64.4	78



03310 Series, No Skive, for 2SN/R2 Hoses

型号 Part No	软管 HOSE BORE		尺寸 DIMENSIONS		
	DN	DASH	OD外径	ID内径	L长度
03310-04	6	4	23	15.7	30.5
03310-05	8	5	24	17.3	30
03310-06	10	6	26	19.6	32
03310-08	12	8	29	22.8	34
03310-10	16	10	33	26.2	37
03310-12	20	12	37	30.3	42
03310-16	25	16	46.7	38.8	51
03310-20	32	20	59	49.6	59
03310-24	40	24	67	55.7	67
03310-32	51	32	80	68.5	72



00400 Series, Skive Type, for 4SP/4SH/R9/R12 Hoses

型号 Part No	软管HOSE BORE		尺寸 DIMENSIONS		
	DN	DASH	OD外径	ID内径	L长度
00400-04	6	4	23	16	33
00400-05	8	5	25	18	33
00400-06	10	6	26	19	35
00400-08	12	8	30	22	40
00400-10	16	10	34	25.5	43
00400-12	20	12	38	29.5	50
00400-16	25	16	46.5	36.5	60
00400-20	32	20	57	47	67.5
00400-24	40	24	65	54.5	75
00400-32	51	32	79	66.5	79



00401 Series, Skive Type, for 4SP/4SH/R12 Hoses

型号 Part No	软管HOSE BORE		尺寸 DIMENSIONS		
	DN	DASH	OD外径	ID内径	L长度
00401-20	32	20	53	42.8	67.5
00401-24	40	24	61	54.5	75
00401-32	51	32	77	64.5	79



00402 Series, Skive Type, for 4SP/4SH/R12 Hoses

型号 Part No	软管HOSE BORE		尺寸 DIMENSIONS		
	DN	DASH	OD外径	ID内径	L长度
00402-06	10	6	26	18.2	33
00402-08	12	8	30	22.1	34
00402-10	16	10	33	25.1	39
00402-12	20	12	38	29.3	40
00402-16	25	16	46	36	51
00402-20	32	20	55	45	60
00402-24	40	24	62	51.7	70
00402-32	51	32	77	64.7	72



00621 Series, Skive Type, for R13/R15 Hoses

型号 Part No	软管 HOSE BORE		尺寸 DIMENSIONS		
	DN	DASH	OD外径	ID内径	L长度
00621-20	32	20	60	48	88.5
00621-24	40	24	69.4	55.5	102
00621-32	51	32	86.5	70.7	108



Application scenarios



Hydraulic Hose Assembly

Precision-engineered for heavy-duty industrial systems. Ensures leak-proof connections and maximum durability under high pressure.



Bulk Hose Inventory

Ready-to-assemble raw hoses in industrial packaging, designed for efficient warehouse storage and on-site custom fabrication.



Protective Finished Packaging

Secure, dust-free packaging safeguards the integrity of finished assemblies, ensuring safe transportation and delivery to the end-user.

Production capacity



CNC Machining

High-precision CNC centers ensure complex geometries are milled with extreme accuracy, adhering to strict industrial tolerances.



CNC Lathe Turning

Advanced lathes craft rotational components with smooth surface finishes, delivering consistency for shafts, pins, and custom fasteners.



Precision Milling

Specialized milling operations shape solid blocks of raw material into robust structural parts, supporting a wide range of material types.

Factory Environment



Advanced production workshop

The workshop is equipped with high-precision automated production lines to ensure stable product quality and high production efficiency. Every operation follows strict safety standards.



Optimize the work environment

Strictly adhere to the 5S management principles to maintain a clean, orderly, and safe working environment. A well-organized factory environment minimizes risks and ensures smooth production processes.

Company Location

Hejian City, Hebei Province, China

China's important
hydraulic industry base

Fengming Hydraulics was founded here, fully leveraging the local mature industrial cluster and supply chain advantages to continuously improve its R&D and manufacturing capabilities. We not only cultivate the domestic market but also actively connect globally, providing reliable and high-quality products to customers around the world.

